



Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

1 Identification of the substance/mixture and of the company/undertaking

· Date of first creation: 05.04.2016

· Product identifier

· Trade name: Anabond 's Precision Poly Cement

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Bonding

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Anabond limited

Anabond Limited.

Type II,No.36,Dr.V.S.I Estate,

Thiruvanmiyur, Chennai -600 041

India.

Phone: 044 23460041/42/43

Fax: 04423460048

Email: exports@anabond.com

- · Further information obtainable from: Product safety department.
- · Emergency telephone number: During normal opening times: +91 (0)44 234 600 41

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

(Contd. on page 2)





Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 1)

- · Signal word Warning
- · Hazard-determining components of labelling:

n-butyl acetate

· Hazard statements

EUH066 Repeated exposure may cause skin dryness and cracking

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

· Precautionary statements

Flammable.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: Flammable.
- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

🏇 Flam. Liq. 3, H226; 🔷 STOT SE 3, H336, EUH066

70 -80%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31 "amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

ΙE



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31 "amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 3)

8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

OEL Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm

IOELV

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Liquid Fluid

· Colour: Colorless to straw yellow

· Odour: Characteristic · Odour threshold:

Not determined.

(Contd. on page 5)





Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

	(Contd. of page
Melting point/freezing point:	-76 °C
Boiling point or initial boiling point and boiling rang	ge 124 °C
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
Flash point:	27 °C
Auto-ignition temperature:	370 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 30 °C	30 - 40 Sec (DIN 53211/4)
Dynamic:	Not determined.
Solubility	The determined
water at 20 °C:	5 g/l
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	10.7 hPa
Vapour pressure at 50 °C:	55 hPa
Density and/or relative density	55 m u
Density at 30 °C:	$0.91 - 0.95 g/cm^3$
Relative density	Not determined.
Vapour density	Not determined. Not determined.
	Noi determined.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health ar	id
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	70-80 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Flammahle solids	

 $(Contd.\ on\ page\ 6)$



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31 "amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

	Contd.	of	page	5
--	--------	----	------	---

· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammabl	le gases
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

123-86-4 n-butyl acetate

	LD50	13,100 mg/kg (rat)
	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)





Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 6)

- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
· UN number or ID number · ADR, IMDG, IATA	UN1123
· UN proper shipping name · ADR · IMDG, IATA	1123 BUTYL ACETATES mixture BUTYL ACETATES mixture

(Contd. on page 8)





Safety data sheet according to 1907/2006/EC, Article 31

"amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

	(Contd. of pag
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code).	
EMS Number:	F-E,S-D
Stowage Category	A
Maritime transport in bulk according to IMO	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
Tuguan out agtagom	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	D/E
	<i>DIL</i>
IMDG	51
Limited quantities (LQ)	5L Code: El
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging: 1000 ml
IIN "Madal Dagulation".	UN 1123 BUTYL ACETATES MIXTURE, 3, III
UN "Model Regulation":	UN 1123 DUITL ACETATES MIATURE, 3, III

15 Regulatory information

- · Directive 2004/42/EC
- · Directive 2012/18/EU
- $\cdot \textit{Named dangerous substances ANNEX I None of the ingredients is listed.}$

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31 "amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 8)

- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Department issuing SDS: Product safety department.
- · Contact: Mr. Surendrababu
- · Date of previous version: 17.07.2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31 "amended by Commission Regulation (EU) 2020/878"

Printing date 17.01.2025 Version number 1 Revision: 17.01.2025

Trade name: Anabond 's Precision Poly Cement

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

RD 8339-00

ΙE