Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Mr. RETARDER MILD

· Article number: T-105

· CAS Number:

123-42-2

· EC number:

204-626-7

· Index number:

603-016-00-1

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Coating

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

GSI EUROPE - Import + Export GmbH

Louise-Dumont-Str. 31 40211 DÜSSELDORF

GERMANY

- · Further information obtainable from: Hobby Department
- · Emergency telephone number: During normal opening times: +49/211/1665 98420

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

· Hazard pictograms

(Contd. of page 1)





GHS02 GHS07

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- Substances
- · CAS No. Description

123-42-2 4-hydroxy-4-methylpentan-2-one

- · Identification number(s)
- EC number: 204-626-7
- · Index number: 603-016-00-1

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

(Contd. of page 2)

- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

123-42-2 4-hydroxy-4-methylpentan-2-one

WEL Short-term value: 362 mg/m³, 75 ppm Long-term value: 241 mg/m³, 50 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/10


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

· Eye/face protection

(Contd. of page 4)



9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Clear
Solvent-like
Not determined.

· Melting point/freezing point: -47 °C

Boiling point or initial boiling point and boiling

range 150–172 °C · Flammability Flammable.

· Lower and upper explosion limit

• **Lower:** 1.4 Vol % • **Upper:** 8.1 Vol %

• Flash point: 58 °C (123-42-2 4-hydroxy-4-methylpentan-2-one)

Auto-ignition temperature: 620 °C

Decomposition temperature: Not determined.

• **pH** Mixture is non-polar/aprotic.

· Viscosity:

Kinematic viscosity Dynamic at 20 °C: Not determined. 3.22 mPas

· Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 1.1 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

| | | (Contd. of page 5 |
|--------------------------------------------|------------------------------|-------------------|
| Explosive properties: | Not determined. | |
| Solvent content: | | |
| · VOC (EC) | 0.00 % | |
| Molecular weight | 116 g/mol | |
| · Change in condition | - | |
| Evaporation rate | Not determined. | |
| Information with regard to physical hazard | | |
| classes | | |
| · Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Flammable liquid and vapour. | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| · Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

3B -

Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

(Contd. of page 6)

11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | values | relevant f | or c | lassification: |
|-----------|--------|------------|------|----------------|
|-----------|--------|------------|------|----------------|

123-42-2 4-hydroxy-4-methylpentan-2-one

Oral LD50 4,000 mg/kg (rat)
Dermal LD50 13,630 mg/kg (rab)

- Serious eye damage/irritation Causes serious eye irritation.
- Information on other hazards
- · Endocrine disrupting properties

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

(Contd. of page 7)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

| Transport information | | |
|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--|
| · UN number or ID number · ADR, IMDG, IATA | UN1263 | |
| · UN proper shipping name · ADR · IMDG · IATA | 1263 PAINT RELATED MATERIAL PAINT RELATED MATERIAL Paint related material | |
| Transport hazard class(es) | | |
| ADR, IMDG, IATA | | |
| | | |
| Class Label | 3 Flammable liquids. 3 | |
| Packing group ADR, IMDG, IATA | III | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user Hazard identification number (Kemler code EMS Number: Stowage Category | Warning: Flammable liquids. de): 30 F-E, <u>S-E</u> A | |
| Maritime transport in bulk according to IN instruments | MO Not applicable. | |
| Transport/Additional information: | | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml | |
| Transport category Tunnel restriction code | 3 D/E | |

(Contd. on page 9)

Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

5L

Trade name: Mr. RETARDER MILD

(Contd. of page 8)

· IMDG

· Limited quantities (LQ)

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1263 PAINT RELATED MATERIAL, 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

Substance is not listed.

· Regulated poisons

Substance is not listed.

· Reportable explosives precursors

Substance is not listed.

Reportable poisons

Substance is not listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Hobby Department
- · Contact: -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.03.2024 Version number 2.0 (replaces version 1.0) Revision: 11.03.2024

Trade name: Mr. RETARDER MILD

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

(Contd. of page 9)

GB -