

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Mr. WEATHERING MUD WHITE

· Article number: WP-02

 $\cdot$  Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Coating

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GSI EUROPE - Import + Export GmbH

Louise-Dumont-Str. 31 40211 DÜSSELDORF

**GERMANY** 

· Further information obtainable from: Hobby Department

· Emergency telephone number: During normal opening times: +49/211/1665 98420

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Warning
- Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Contd. on page 2)



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous</li> </ul>	components:
-------------------------------	-------------

CAS: 90622-57-4 C9-12-Iso-alkanes ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304 >25–≤50% EINECS: 292-459-0

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

- · Description of first aid measures
- · **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5 Firefighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

GB



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 3)

#### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

General Information

Physical stateColour:Odour:Mild

Odour threshold: Not determined.Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 171 °C

· Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: 0.7 Vol %

· Flash point: 49 °C

· **Auto-ignition temperature:** Product is not selfigniting.

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

· Kinematic viscosity at 40 °C 20,000 mm<sup>2</sup>/s

(Contd. on page 5)



**IMPORT + EXPORT GMBH** 

Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 4)

· **Dynamic:** Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 54 hPa

Density and/or relative density

Density at 20 °C:
 Relative density
 Bulk density:
 Vapour density
 Not determined.
 900–1,100 kg/m³
 Not determined.

Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: 365 °C

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 0.00 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure
Void
Void

• Flammable liquids Flammable liquid and vapour.

Flammable solids
Self-reactive substances and mixtures
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Void
Void

· Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Desensitised explosives

Void

(Contd. on page 6)

GB



Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 5)

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB -



IMPORT + EXPORT GMBH

Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 6)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Transport information	
UN number or ID number	not regulated
· ADR, IMDG · IATA	not regulated UN1268
	GIV1233
· UN proper shipping name · ADR, IMDG	not regulated
· IATA	Petroleum distillates, n.o.s.
Transport hazard class(es)	
ADR, ADN, IMDG	
Class	not regulated
IATA	
3	
	3 Flammable liquids.
	3 Flammable liquids. 3
· Class · Label · Packing group	·
Packing group ADR, IMDG	not regulated
· Label · Packing group · ADR, IMDG	3
Label Packing group ADR, IMDG	not regulated
Label	not regulated
Label Packing group ADR, IMDG IATA Environmental hazards: Special precautions for user Maritime transport in bulk according	not regulated III  Not applicable.  Not applicable.  to IMO
Label Packing group ADR, IMDG IATA Environmental hazards: Special precautions for user	not regulated III  Not applicable.  Not applicable.

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

(Contd. on page 8)



Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2022 Version number 1.0 Revision: 09.02.2022

Trade name: Mr. WEATHERING MUD WHITE

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

· Department issuing SDS: Hobby Department

Contact: -

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1