Page 1/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Mr. MARK SETTER

· Article number: MS-232

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Coating

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GSI EUROPE - Import + Export GmbH

Louise-Dumont-Str. 31 40211 DÜSSELDORF

**GERMANY** 

- · Further information obtainable from: Hobby Department
- · Emergency telephone number: During normal opening times: +49/211/1665 98420

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

(Contd. on page 2)



Page 2/11

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 1.0 Revision: 13.05.2024 Printing date 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 1)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

Keep out of reach of children. P102

P103 Read carefully and follow all instructions.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210

No smoking.

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:	
CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol      Flam. Liq. 2, H225;	10%
CAS: 107-98-2	1-methoxy-2-propanol  Flam. Liq. 3, H226; STOT SE 3, H336	>2.5–≤10%
CAS: 111-76-2 EINECS: 203-905-0	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Page 3/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 2)

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- $^{\cdot}$  Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)



Page 4/11

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 1.0 Revision: 13.05.2024 Printing date 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Ingradiants with	n limit valuae tl	hat roquiro	monitoring	at the workplace:
IIIUI EUIEIILS WILI	ı illilik valucə ti	nai reuune	IIIOIIILOI IIIG	at the workblace.

#### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

#### 107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm

#### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk. BMGV

#### Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

(Contd. on page 5)

Page 5/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

· Hand protection

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless

Solvent-like

Not determined.

Undetermined.

Boiling point or initial boiling point and boiling

range 83 °C Flammability Flammable.

· Lower and upper explosion limit

Lower: 1.1 Vol %
Upper: 13.1 Vol %
Flash point: 23.2 °C
Auto-ignition temperature: 238 °C

• Decomposition temperature: Not determined.

(Contd. on page 6)



Page 6/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 5) · pH Mixture is non-polar/aprotic. · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 44 hPa Density and/or relative density Density at 20 °C: 0.8-1 g/cm3 · Relative density Not determined. · Bulk density: 800-1,000 kg/m<sup>3</sup> · Vapour density Not determined. Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: · Organic solvents: 30.0 % 70.0 % · Water: · VOC (EC) 30.00 % · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void Flammable liquids Flammable liquid and vapour. · Flammable solids Void · Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void

(Contd. on page 7)



Page 7/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

Contd. of page 6)

Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives

Void
Void

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

			,
ſ	· LD/LC50	values rel	evant for classification:
Ī	ATE (Acu	te Toxicity	y Estimates)
Ī	Oral	LD50	12,000 mg/kg (ATE)
	Dermal	LD50	4,000 mg/kg (rab)
	Inhalative	LC50/4 h	30 mg/l (ATE)
	67-63-0 p	ropan-2-o	I
Γ	Oral	LD50	5,045 mg/kg (rat)

67-63-0 pi	ropan-2-ol	
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)
107-98-2	l-methoxy	r-2-propanol
Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	13,000 mg/kg (rabbit)
111-76-2 2	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

Skin corrosion/irritation Causes skin irritation.

(Contd. on page 8)

Page 8/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 7)

- · Serious eye damage/irritation Causes serious eye irritation.
- Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **14 Transport information**

- · UN number or ID number
- · ADR, IMDG, IATA UN1263
- · UN proper shipping name
- · **ADR** 1263 PAINT RELATED MATERIAL

(Contd. on page 9)



Page 9/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

IMDG	PAINT RELATED MATERIAL
IATA	Paint related material
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-E, <u>S-E</u> A
Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III

– GB

Page 10/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

(Contd. of page 9)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Hobby Department
- · Contact: -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)



Page 11/11

(Contd. of page 10)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.05.2024 Version number 1.0 Revision: 13.05.2024

Trade name: Mr. MARK SETTER

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.